Neuroscience Letters, 132 (1991) 275–278
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abe, T., see Tohgi, H., 19
Abraham, J.E., see Martin, D.C., 73
Agnati, L.F., see Zoli, M., 225
Allen, J.S., Murphy Jr., G.M., Eng, L.F., Stultz, K.E., Davies, H.D., Pickford, L.B. and Tinklenberg, J.R., Alzheimer's disease: β-amyloid precursor protein mRNA expression in mononuclear blood cells, 109
Almaraz, L., Pérez-García, M.T. and González, C., Presence of D_1 receptors in the rabbit carotid body, 259
Amano, T., Yamakuni, T., Okabe, N., Sakimura, K. and Takahashi, Y., Production of nerve growth factor in rat skeletal muscle, 5
Angelatou, F., Pagonopoulou, O. and Kostopoulos, G., Changes in seizure latency correlate with alterations in A1 adenosine receptor binding during daily repeated pentylentetrazol-induced convulsions in different mouse brain areas, 203
Arita, M., see Okado, N., 155
Aronstam, R.S., see Martin, D.C., 73
Azekawa, T., Sano, A., Sei, H. and Morita, Y., Diurnal changes in pineal extracellular indoles of freely moving rats, 93

Badia, A., see Dierssen, M., 51
Baker, R.E., see Bingmann, D., 167
Balasubramanian, A.S., see Panneerselvam, K., 26
Baldy-Moulinier, M., see Richard, S., 229
Ballantyne, D., see Bingmann, D., 167
Balletti, J., see Pranzatelli, M.R., 117
Bednar, D.L., see Maciver, C.R., 146
Bendotti, C., Vezzani, A., Serafini, R., Servadio, A., Rivolta, R. and Samanin, R., Increased preproneuropeptide Y mRNA in the rat hippocampus during the development of hippocampal kindling: comparison with the expression of preprosomatostatin mRNA, 175
Bhattacharya, S.K., Clow, A., Przyborowska, A., Halket, J., Glover, V. and Sandler, M., Effect of aromatic amino acids, pentylenetetrazole and yohimbine on isatin and tribulin activity in rat brain, 44
Biagini, G., see Zoli, M., 225
Bingmann, D., Baker, R.E. and Ballantyne, D., Rhythm generation in brainstem cultures grown in a serum-free medium, 167
Bots, G.T.A.M., see Kremer, H.P.H., 101
Bottari, S.P., see Obermüller, N., 11
Bruyn, G.W., see Kremer, H.P.H., 101
Buchan, A.M., Li, H., Cho, S. and Pulsinelli, W.A., Blockade of the AMPA receptor prevents CA1 hippocampal injury following severe but transient forebrain ischemia in adult rats, 255
Buchwald, N.A., see Siviy, S.M., 77

Cammack, J., see Rice, M.E., 141
Cardenas, H., see Loyola, H., 251
Cervini, R., Rocchi, M., DiDonato, S. and Finocchiaro, G., Isolation and sub-chromosomal localization of a DNA fragment of the human choline acetyltransferase gene, 191
Cha, J.-H.J., Dure IV, L.S., Sakurai, S.Y., Penney, J.B. and Young, A.B., 2,4,5-Trihydroxyphenylalanine (6-hydroxy-DOPA) displaces [^{3}H]AMPA binding in rat striatum, 55
Chida, K., see Miyagawa, M., 1
Cho, S., see Buchan, A.M., 255
Chudler, E.H., Foote, W.E. and Poletti, C.E., Topography of C_1 nerve- and trigeminal-evoked potentials in the ventrobasal complexof the cat thalamus, 33
Cintra, A., see Zoli, M., 225
Clark, M., Weiss, S.R.B. and Post, R.M., Expression of c-*fos* mRNA in rat brain after intracerebroventricular administration of corticotropin-releasing hormone, 235
Clos, M.V., see Dierssen, M., 51
Clow, A., see Bhattacharya, S.K., 44
Coimbra, A., see Lima, D., 16
Colton, C.A., Yao, J., Taffs, R.E., Keri, J.E. and Oster-Granite, M.L., Abnormal production of interleukin-1 by microglia from trisomy 16 mice, 270
Corden, M., Curry, K. and McLennan, H., The actions of a conformationally restricted analogue of aspartic acid on mammalian spinal neurones, 37
Culman, J., see Obermüller, N., 11
Curry, K., see Corden, M., 37

Davies, H.D., see Allen, J.S., 109
De Arruda Camargo, L.A., see Luiz, A.C., 195
De Gasparo, M., see Obermüller, N., 11
De Luca Jr., L.A., see Luiz, A.C., 195
DiDonato, S., see Cervini, R., 191
Diemer, N.H., see Hess, J., 8
Dierssen, M., Màrmol, F., Vivas, N.M., Clos, M.V., Gascón, S. and Badia, A., Acute effects of tetrahydroaminoacridine on β-adrenoceptor-linked cyclic AMP accumulation in brain of young and middle-aged rats, 51
Dingjan, G.M., see Kremer, H.P.H., 101
Diochot, S., see Richard, S., 229
Draguhn, A., Jahn, W. and Witzemann, V., $Argiotoxin_{636}$ inhibits NMDA-activated ion channels expressed in *Xenopus* oocytes, 187
Dure IV, L.S., see Cha, J.-H.J., 55

Eigyo, M., see Katsuura, G., 159
Ekström, P.A.R., Insulin stimulates ganglionic protein synthesis and reduces thymidine incorporation in support cells of the in vitro regenerating adult frog sciatic sensory neurons, 183
Enamorado-Ayala, I., see García-Arrarás, J.E., 199
Eng, L.F., see Allen, J.S., 109
Eskin, T., see Richfield, E.K., 121

Fadic, R., see Loyola, H., 251
Ferraguti, F., see Zoli, M., 225
Finocchiaro, G., see Cervini, R., 191
Foote, W.E., see Chudler, E.H., 33
Foster, G.A., see Sharp, T., 179
Fuxe, K., see Zoli, M., 225

García-Arrarás, J.E., Enamorado-Ayala, I., Torres-Avillán, I. and Rivera, V., FMRFamide-like immunoreactivity in cells and fibers of the holothurian nervous system, 199
Gascón, S., see Dierssen, M., 51
Glover, V., see Bhattacharya, S.K., 44
Gohlke, P., see Obermüller, N., 11
González, C., see Almaraz, L., 259
Gross, R.A., see Kelly, K.M., 247

Halket, J., see Bhattacharya, S.K., 44

Hamada, S., see Okado, N., 155
Hammond, M.V., see Lake, J.R., 29
Hattori, T., see Moriizumi, T., 69
Henry, J.L., see Radhakrishnan, V., 39
Hess, J., Jensen, C.V. and Diemer, N.H., The vasopressin receptor of the blood–brain barrier in the rat hippocampus is linked to calcium signalling, 8
Hietanen-Peltola, M., Rechardt, L. and Pelto-Huikko, M., Protein kinase C β-subtype-immunoreactive motor and sensory nerves in rat muscle spindle, 65
Hofman, M.A., see Kremer, H.P.H., 101
Huang, C.-S., see Ju, G., 151
Hunsicker, L.M., see Lake, J.R., 29
Hunter, B.E., see Rothberg, B.S., 243

Ishiura, S., see Maruyama, K., 97
Ishizaki, Y., see Ma, L., 23
Isokawa, M. and Levesque, M.F., Increased NMDA responses and dendritic degeneration in human epileptic hippocampal neurons in slices, 212

Jahn, W., see Draguhn, A., 187
Jensen, C.V., see Hess, J., 8
Jin, B.-Q., see Ju, G., 151
Ju, G., Zhang, X., Jin, B.-Q. and Huang, C.-S., Activation of corticotropin-releasing factor-containing neurons in the paraventricular nucleus of the hypothalamus by interleukin-1 in the rat, 151
Junge, D., Lithium block of outward current channels in Helix neurons, 82

Kametani, H. and Kawamura, H., Circadian rhythm of cortical acetylcholine release as measured by in vivo microdialysis in freely moving rats, 263
Karbon, E.W., see Maciver, C.R., 146
Katsuura, G., Shinohara, S., Shintaku, H., Eigyo, M. and Matsushita, A., Protective effect of CCK-8 and ceruletide on glutamate-induced neuronal cell death in rat neuron cultures: possible involvement of CCK-B receptors, 159
Kawamura, H., see Kametani, H., 263
Kawamura, H., see Miyagawa, M., 1
Kelly, K.M., Gross, R.A. and Macdonald, R.L., Tetrahydroaminoacridine (THA) reduces voltage-dependent calcium currents in rat sensory neurons, 247
Kelso, S.R., see Pacelli, G.J., 267
Keri, J.E., see Colton, C.A., 270
Kikuchi, T., see Tohgi, H., 19
Kitai, S.T., see Kono, T., 113
Kono, T., Takada, M., Wu, J.-Y. and Kitai, S.T., Double immunohistochemical detection of transmitter phenotype of proliferating cells using bromodeoxyuridine, 113
Kostopoulos, G., see Angelatou, F., 203
Kostopoulos, G., see Psarropoulou, C., 207
Kremer, H.P.H., Roos, R.A.C., Dingjan, G.M., Bots, G.T.A.M., Bruyn, G.W. and Hofman, M.A., The hypothalamic lateral tuberal nucleus and the characteristics of neuronal loss in Huntington's disease, 101
Kudo, N., see Okado, N., 155
Kunze, D.L., see Mendelowitz, D., 217

Lake, J.R., Hammond, M.V., Shaddox, R.C., Hunsicker, L.M., Yang, H.-Y.T. and Malin, D.H., IgG from neuropeptide FF antiserum reverses morphine tolerance in the rat, 29
Larrain, C., see Loyola, H., 251
Leduc-Cross, B., see Moriizumi, T., 69
Levesque, M.F., see Isokawa, M., 212
Levine, J.D., see Pitchford, S., 105
Levine, M.S., see Siviy, S.M., 77
Li, H., see Buchan, A.M., 255
Li, J., see Smith, S.S., 59
Lima, D. and Coimbra, A., Neurons in the substantia gelatinosa rolandi (lamina II) project to the caudal ventrolateral reticular formation of the medulla oblongata in the rat, 16
Loyola, H., Fadic, R., Cardenas, H., Larrain, C. and Zapata, P., Effects of body temperature on chemosensory activity of the cat carotid body in situ, 251
Luiz, A.C., Saad, W.A., De Arruda Camargo, L.A., Renzi, A., De Luca Jr., L.A. and Menani, J.V., Pressor, dipsogenic, natriuretic and kaliuretic responses to central carbachol in rats with lesion of the medial septal area, 195

Ma, L., Ishizaki, Y., Morita, I. and Murota, S., Presence of nitric oxide synthase activity in the neurons of the rat embryonal cerebrum, 23
Macdonald, R.L., see Kelly, K.M., 247
Maciver, C.R., Bednar, D.L. and Karbon, E.W., Opposite effects of spermine and arcaine on responses of *N*-methyl-D-aspartate receptors expressed in *Xenopus* oocytes, 146
Majamaa, K., see Oikarinen, J., 171
Malin, D.H., see Lake, J.R., 29
Mannermaa, R.-M., see Oikarinen, J., 171
Màrmol, F., see Dierssen, M., 51
Martin, D.C., Abraham, J.E., Plagenhoef, M. and Aronstam, R.S., Volatile anesthetics and NMDA receptors. Enflurane inhibition of glutamate-stimulated [^{3}H]MK-801 binding and reversal by glycine, 73
Maruyama, K., Usami, M., Yamao-Harigaya, W., Tagawa, K. and Ishiura, S., Mutation of Glu^{693} to Gln or Val^{717} to Ile has no effect on the processing of Alzheimer amyloid precursor protein expressed in COS-1 cells by cDNA transfection, 97
Mathers, D.A., see Wang, Y., 222
Matsukawa, M., see Okado, N., 155
Matsushita, A., see Katsuura, G., 159
McLennan, H., see Corden, M., 37
Menani, J.V., see Luiz, A.C., 195
Mendelowitz, D. and Kunze, D.L., Identification and dissociation of cardiovascular neurons from the medulla for patch clamp analysis, 217
Miyagawa, M., Chida, K., Kawamura, H. and Takasu, T., Effects of chemical stimulation and lesion of the rostral ventrolateral medulla in spontaneously hypertensive rats, 1
Moriizumi, T., Leduc-Cross, B. and Hattori, T., Cholinergic nigrotectal projections in the rat, 69
Morita, I., see Ma, L., 23
Morita, Y., see Sorimachi, M., 89
Morita, Y., see Azekawa, T., 93
Murota, S., see Ma, L., 23
Murphy Jr., G.M., see Allen, J.S., 109

Nargeot, J., see Richard, S., 229
Nishimura, S., see Sorimachi, M., 89
Noritake, S., see Okado, N., 155
Nozaki, Y., see Tohgi, H., 19
Nurse, C.A., see Stea, A., 239

Obermüller, N., Unger, T., Culman, J., Gohlke, P., De Gasparo, M. and Bottari, S.P., Distribution of angiotensin II receptor subtypes in rat brain nuclei, 11

O'Brien, C.F., see Richfield, E.K., 121
Oikarinen, J., Mannermaa, R.-M., Tarkka, T., Yli-Mäyry, N. and Majamaa, K., Interference of AlF_4^- with nucleotide and DNA binding of rat histone H1 in vitro. Implications for the pathogenesis of Alzheimer's disease, 171
Okabe, N., see Amano, T., 5
Okado, N., Matsukawa, M., Noritake, S., Ozaki, S., Hamada, S., Arita, M. and Kudo, N., Species differences in the distribution and coexistence ratio of serotonin and substance P in the monkey, cat, rat and chick spinal cord, 155
Oster-Granite, M.L., see Colton, C.A., 270
Ozaki, S., see Okado, N., 155

Pacelli, G.J. and Kelso, S.R., *Trans*-ACPD reduces multiple components of synaptic transmission in the rat hippocampus, 267
Pagonopoulou, O., see Angelatou, F., 203
Panneerselvam, K. and Balasubramanian, A.S., Loss of Co^{2+} sensitivity of monkey brain cytosolic neutral α-D-mannosidase by cyclic AMP dependent phosphorylation, 26
Pelto-Huikko, M., see Hietanen-Peltola, M., 65
Penney, J.B., see Cha, J.-H.J., 55
Pérez-García, M.T., see Almaraz, L., 259
Pickford, L.B., see Allen, J.S., 109
Pitchford, S. and Levine, J.D., Prostaglandins sensitize nociceptors in cell culture, 105
Plagenhoef, M., see Martin, D.C., 73
Pobegailo, L.S., see Shapoval, L.N., 47
Poletti, C.E., see Chudler, E.H., 33
Post, R.M., see Clark, M., 235
Pranzatelli, M.R. and Balletti, J., Characterization of 5-hydroxytryptamine 1A-like binding sites in human ganglioneuroblastoma, 117
Przyborowska, A., see Bhattacharya, S.K., 44
Psarropoulou, C. and Kostopoulos, G., Long-term increase in excitability induced by Mg^2-free medium in the absence of afferent stimulation in CA1 area of mouse hippocampal slices, 207
Pulsinelli, W.A., see Buchan, A.M., 255

Radhakrishnan, V. and Henry, J.L., Novel substance P antagonist, CP-96,345, blocks responses of cat spinal dorsal horn neurons to noxious cutaneous stimulation and to substance P, 39
Recharót, L., see Hietanen-Peltola, M., 65
Renzi, A., see Luiz, A.C., 195
Rice, M.E. and Cammack, J., Anoxia-resistant turtle brain maintains ascorbic acid content in vitro, 141
Richard, S., Diochot, S., Nargeot, J., Baldy-Moulinier, M. and Valmier, J., Inhibition of T-type calcium currents by dihydropyridines in mouse embryonic dorsal root ganglion neurons, 229
Richfield, E.K., O'Brien, C.F., Eskin, T. and Shoulson, I., Heterogeneous dopamine receptor changes in early and late Huntington's disease, 121
Rivera, V., see García-Arrarás, J.E., 199
Rivolta, R., see Bendotti, C., 175
Rocchi, M., see Cervini, R., 191
Roos, R.A.C., see Kremer, H.P.H., 101
Rothberg, B.S. and Hunter, B.E., Chronic ethanol treatment differentially affects muscarinic receptor responses in rat hippocampus, 243

Saad, W.A., see Luiz, A.C., 195
Sagach, V.F., see Shapoval, L.N., 47
Sakimura, K., see Amano, T., 5
Sakurai, S.Y., see Cha, J.-H.J., 55
Samanin, R., see Bendotti, C., 175
Sandler, M., see Bhattacharya, S.K., 44
Sano, A., see Azekawa, T., 93
Sei, H., see Azekawa, T., 93
Serafini, R., see Bendotti, C., 175
Servadio, A., see Bendotti, C., 175
Shaddox, R.C., see Lake, J.R., 29
Shapoval, L.N., Sagach, V.F. and Pobegailo, L.S., Nitric oxide influences ventrolateral medullary mechanisms of vasomotor control in the cat, 47
Sharp, T. and Foster, G.A., Release of 5-hydroxytryptamine (5-HT) from medullary and mesencephalic raphé neurones after grafting to the rat hippocampus: evidence for regulation by $5\text{-}HT_{1A}$ autoreceptors, 179
Shinohara, S., see Katsuura, G., 159
Shintaku, H., see Katsuura, G., 159
Shoulson, I., see Richfield, E.K., 121
Siviy, S.M., Buchwald, N.A. and Levine, M.S., Enhanced responses to NMDA receptor activation in the developing cat caudate nucleus, 77
Smith, S.S. and Li, J., $GABA_B$ receptor stimulation by baclofen and taurine enhances excitatory amino acid induced phosphatidylinositol turnover in neonatal rat cerebellum, 59
Sorimachi, M., Nishimura, S. and Morita, Y., *N*-Methyl-D-aspartate and aspartate raise the cytosolic freee calcium concentration by acting upon receptors transiently expressed on immature cerebellar Purkinje cells, 89
Stea, A. and Nurse, C.A., Contrasting effects of HEPES vs HCO_3^--buffered media on whole-cell currents in cultured chemoreceptors of the rat carotid body, 239
Stultz, K.E., see Allen, J.S., 109
Swaab, D.F., see Van Eerdenburg, F.J.C.M., 85

Taffs, R.E., see Colton, C.A., 270
Tagawa, K., see Maruyama, K., 97
Takada, M., see Kono, T., 113
Takahashi, S., see Tohgi, H., 19
Takahashi, Y., see Amano, T., 5
Takasu, T., see Miyagawa, M., 1
Tarkka, T., see Oikarinen, J., 171
Thomsen, R.H., see Wilson, D.F., 163
Tinklenberg, J.R., see Allen, J.S., 109
Tohgi, H., Abe, T., Kikuchi, T., Takahashi, S. and Nozaki, Y., The significance of 3-*O*-methyldopa concentrations in the cerebrospinal fluid in the pathogenesis of wearing-off phenomenon in Parkinson's disease, 19
Torres-Avillán, I., see García-Arrarás, J.E., 199

Unger, T., see Obermüller, N., 11
Usami, M., see Maruyama, K., 97

Valmier, J., see Richard, S., 229
Van Eerdenburg, F.J.C.M. and Swaab, D.F., Increasing neuron numbers in the vasopressin and oxytocin containing nucleus of the adult female pig hypothalamus, 85
Vezzani, A., see Bendotti, C., 175
Vivas, N.M., see Dierssen, M., 51

Wang, Y. and Mathers, D.A., High sensitivity to internal tetraethylammonium in K(Ca) channels of cerebrovascular smooth muscle cells, 222
Weiss, S.R.B., see Clark, M., 235
Wilson, D.F. and Thomsen, R.H., Nicotinic receptors on the rat phrenic nerve: evidence for negative feedback, 163
Witzemann, V., see Draguhn, A., 187

Wu, J.-Y., see Kono, T., 113

Yamakuni, T., see Amano, T., 5
Yamao-Harigaya, W., see Maruyama, K., 97
Yang, H.-Y.T., see Lake, J.R., 29
Yao, J., see Colton, C.A., 270
Yli-Mäyry, N., see Oikarinen, J., 171
Young, A.B., see Cha, J.-H.J., 55

Zapata, P., see Loyola, H., 251
Zhang, X., see Ju, G., 151
Zoli, M., Ferraguti, F., Biagini, G., Cintra, A., Fuxe, K. and Agnati, L.F., Corticosterone treatment counteracts lesions induced by neonatal treatment with monosodium glutamate in the mediobasal hypothalamus of the male rat, 225

ANNOUNCEMENT

The 1st International Congress of the Polish Neuroscience Society will be held in Warsaw, Poland, September 20 through September 23, 1992.

Address for correspondence: Congress of the Polish Neuroscience Society
Nencki Institute
3, Pasteura Str.
03-092 Warsaw
Poland
Phone: (48) 2-6578571
Fax: (48) 22-225342

CONTENTS *(continued from back cover)*

Inhibition of T-type calcium currents by dihydropyridines in mouse embryonic dorsal root ganglion neurons
S. Richard, S. Diochot, J. Nargeot, M. Baldy-Moulinier and J. Valmier (France) 229
Expression of c-*fos* mRNA in rat brain after intracerebroventricular administration of corticotropin-releasing hormone
M. Clark, S.R.B. Weiss and R.M. Post (U.S.A.) 235
Contrasting effects of HEPES vs HCO_3^--buffered media on whole-cell currents in cultured chemoreceptors of the rat carotid body
A. Stea and C.A. Nurse (Canada) 239
Chronic ethanol treatment differentially affects muscarinic receptor responses in rat hippocampus
B.S. Rothberg and B.E. Hunter (U.S.A.) 243
Tetrahydroaminoacridine (THA) reduces voltage-dependent calcium currents in rat sensory neurons
K.M. Kelly, R.A. Gross and R.L. Macdonald (U.S.A.) 247
Effects of body temperature on chemosensory activity of the cat carotid body in situ
H. Loyola, R. Fadic, H. Cardenas, C. Larrain and P. Zapata (Chile) 251
Blockade of the AMPA receptor prevents CA1 hippocampal injury following severe but transient forebrain ischemia in adult rats
A.M. Buchan, H. Li, S. Cho and W.A. Pulsinelli (U.S.A.) 255
Presence of D_1 receptors in the rabbit carotid body
L. Almaraz, M.T. Pérez-García and C. González (Spain) 259
Circadian rhythm of cortical acetylcholine release as measured by in vivo microdialysis in freely moving rats
H. Kametani and H. Kawamura (Japan) 263
Trans-ACPD reduces multiple components of synaptic transmission in the rat hippocampus
G.J. Pacelli and S.R. Kelso (U.S.A.) 267
Abnormal production of interleukin-1 by microglia from trisomy 16 mice
C.A. Colton, J. Yao, R.E. Taffs, J.E. Keri and M.L. Oster-Granite (U.S.A.) 270

Author index 275

Announcement 278

Corrigendum 279